

PRODUCT CATALOG

(720)-534-1220

www.DenverStormDoor.com



Table Of Contents

Storm Door Ordering	04
Platinum Collection	06
Retractable Screen Platinum Retractable Screen	06 07
Interchangeable Full Glass Platinum Interchangeable Full Glass	08 09
Secure Screen Platinum Secure Screen	10 11
Secure Glass Platinum Secure Glass	12 13
Elegant Selection 149FV Elegant Selection Fullview 350 Classic-View Fullview 360-48 Full Screen	14 15 16 17
Easy Vent® Selection 146FV Easy Vent® Fullvie 356 Lifestyle Fullview	18 19 20
830 Lifestyle Midview 691 Lifestyle Highview 370-81 Life-Core® Midview	21 22 23
Pet Friendly Doors 360-49 Pet Breeze 360-79 Classic-View PetView 370 Life-Core Pet Door	24 25 26 27
Venting 370-50 Llfe-Core® Reversa Screen 360-16 and 660-16 Classic-View 271-TT Life-Core Multi-Vent®	28 29 30 31
830-46 Life-Style Multi-Vent® 278-SS Life-Core® Single-Vent 380-05 Mobile Home Door	32 33 34
288-SS and 283-ST Value-Core® Single-Vent 298-SS and 293-ST Vinyl-Clad Single-Vent Security	35 36 37



Storm Door Ordering






Platinum Collection

SURFACE MOUNT

The rails mount directly to the face of the exterior






Pre-Hinged for Effortless Installation Select LH (left-hinge) or RH (right-hinge)



RECESS MOUNT

The rails mount inside the opening and require a 1" wide by 1" deep mounting surface.





Universal Hinging Allows for left-hinge or right-hinge installation.

Specify When Ordering:

- 1. Model number.
- 2. Color.
- 3. Required opening size (width x height).
- 3. Platinum hinge side (LH or RH). 4. EasyHang universal hinge.
- MAX. HEIGHT DOOR OPENING MIN. WIDTH MAX. WIDTH MIN. HEIGHT 30" x 81" 29-7/8" 30-3/8" 32" x 81" 31-7/8" 32-3/8" 80" 81" 34" x 81" 33-7/8" 34-3/8" 36" x 81" 35-7/8" 36-3/8 32" x 85" 31-7/8" 32-3/8" 34" x 85" 33-7/8" 34-3/8 84" 85" 36" x 85" 35-7/8" 36-3/8" 32" x 75" 31-7/8" 32-3/8" 74-1/2" 75-1/2" 30" x 75" 29-7/8" 30-3/8"

NOTE: Standard size availability varies by model. Custom size doors are made to fit opening size ordered. Allow 3–5 weeks for custom orders. Once placed, custom orders cannot be canceled. Shims may be required in certain installation applications.

© 2023 Larson Manufacturing Company. All rights reserved.

Upon receipt of goods ordered, please examine for proper models, sizes and colors. LARSON will replace products if a manufacturing or shipment error is made. LARSON will not be liable for any installation charges or any other costs incurred. LARSON reserves the right to alter or discontinue any model, specifications, warranty, or price without notice.










Curved Handle

Product Catalog // 6



Platinum Retractable Screen

Standard Features





- The built-in closer is hidden to provide a clean look inside your home. Click&Hold™ technology holds the door open when needed.
- Pre-assembled for effortless installation; add your QuickFit™ handleset, place on opening and secure pre-attached screws.
- The multi-point locking system secures the door to the frame at three points, providing extra security and protection.
- Hinges are pre-assembled; pick left or right as viewed from outside.
- Triple weatherstrip surrounds the door and frame for a tight, seamless seal.
- Pre-assembled screw covers snap tight to provide a finished look.
- Handleset is pre-drilled; choose the QuickFit™ handleset that best complements your home (sold separately).
- Limited Lifetime Warranty.



Additional security with multi-point locking system.





Hidden built-in closer with Click&Hold™ technology to hold the door open.

LARSON LIST

QuickFit™ Handleset

CURVED

20297817 Brushed Nickel 20297807 Brass 20297857 Aged Bronze 20297820 Antique Brass


STRAIGHT


20298917 Brushed Nickel 20298957 Aged Bronze 20298953 Matte Black

Vent® Selection (146) and Elegant Selection (149) models and cannot be modified for use with older models.

LARSON LIST

Platinum RS	SIZE	
456FVE Low-E	32" x 81" 36" x 81"	
456FV Clear	32" x 81" 36" x 81"	
REGULAR CUSTOM**		
456FVE Low-E	W: 30" - 40" H: 75" - 86"	
456FV Clear	W: 30" - 40" H: 75" - 86"	
OVERSIZE CUSTOM**		
456FVE Low-E	W: up to 32" - 40"	
456FV Clear	H: 86 -1/8" - 97"	





When ordering, select correct hinging as seen from outside

* Preparation time not included. Based on typical installation. Actual times may vary.



** CUSTOM DOORS: Please allow 6-10 weeks for delivery. Once placed, custom orders cannot be canceled.





Straight Handle







Straight Handle

Curved Handle



Platinum Interchangeable Full Glass

Standard Features



- Swap glass with the full screen for seasonal ventilation. Simply remove retainers and glass, then place screen and add insert retainers. Includes anti-bow clips.
- The built-in closer is hidden to provide a clean look inside your home. Click&Hold™ technology holds the door open when needed.
- Pre-assembled for effortless installation; add your QuickFit™ handleset, place on opening and secure pre-attached screws.
- The multi-point locking system secures the door to the frame at three points, providing extra security and protection.
- Hinges are pre-assembled; pick left or right as viewed from outside.
- Triple weatherstrip surrounds the door and frame for a tight, seamless seal.
- Pre-assembled screw covers snap tight to provide a full, finished look.
- Handleset is pre-drilled; choose the QuickFit[™] handleset that best complements your home (sold separately).
- Limited Lifetime Warranty.



Additional security with multi-point locking system.





LARSON LIST

Hidden built-in closer with Click&Hold™ technology to hold the door open.


LARSON LIST


Note: C

Vent®

QuickFit™ Handleset	Platinum IFG	SIZE
CURVED	459FVE Low-E	32" x 81" 36" x 81"
20297817 Brushed Nickel	459FV Clear	32" x 81" 36" x 81"
20297807 Brass 20297857 Aged Bronze 20297820 Antique Brass	REGULAR CUSTOM*	*
	459FVE Low-E	W: 24" - 36" H: 75" - 85"
	459FV Clear	W: 24" - 36" H: 75" - 85"
STRAIGHT	OVERSIZE CUSTOM ³	**
20298917 Brushed Nickel 20298957 Aged Bronze	456FVE Low-E	W: 36" -1/8 - 42"
20298953 Matte Black	459FV Clear	H: 75" - 85"
	OVERSIZE PLUS CUS	зтом**
QuickFit™ Handleset fit only Platinum Collection, Easy Selection (146) and Elegant Selection (149) models	459FVE Low-E	W: up to 42"
nd cannot be modified for use with older models.	459FV Clear	H: 85 -1/8" - 97







Right-Hinge (Left-Hand) Outswing

Left-Hinge (Right-Hand) Outswing

When ordering, select correct hinging as seen from outside.

* Preparation time not included. Based on typical installation. Actual times may vary.



** CUSTOM DOORS: Please allow 6-10 weeks for delivery. Once placed, custom orders cannot be canceled.




Product Catalog // 8 Product Catalog // 9





Curved Handle Straight Handle



Platinum Secure Screen

Standard Features



- Dominator .032" stainless steel mesh is tested to withstand 1,000 lbs. of force to help prevent break-ins.**
- The built-in closer with Click&Hold™ technology is hidden to provide a clean look inside and out, while conveniently holding the door open.
- Pre-assembled for effortless installation; add your QuickFit™ handleset, place on opening and secure pre-attached screws.
- The multi-point locking system secures the door to the frame at three points, providing extra security and protection.
- Hinges are pre-assembled; pick left or right as viewed from outside.
- Effectively blocks insects without restricting views or airflow.
- Built with low-maintenance aluminum and heavy-duty weatherstrip.
- Handleset is pre-drilled; choose the QuickFit[™] handleset that best complements your home (sold separately).
- Limited Lifetime Warranty and Break-In Protection Warranty.

Platinum SCR

450-18



Additional security with multi-point locking system.



Hidden built-in closer with Click&Hold™ technology to hold the door open.

LARSON LIST

QuickFit™ Handleset

CURVED

20297817 Brushed Nickel 20297807 Brass 20297857 Aged Bronze 20297820 Antique Brass


STRAIGHT

20298917 Brushed Nickel 20298957 Aged Bronze 20298953 Matte Black

Vent® Selection (146) and Elegant Selection (149) models and cannot be modified for use with older models

LARSON LIST

Platinum SCR	SIZE	
450-18	32"×81" 36"×81"	
REGULAR CUSTOM**		
450-18	W: 24" - 36" H: 75" - 85"	
OVERSIZE CUSTOM**		
450-18	W: 36 -1/8"- 42" H: 75" - 85"	
OVERSIZE PLUS CUSTOM***		
450-18	W: 24" - 42" H: 85 -1/8" - 97"	





(Left-Hand) Outswing

(Right-Hand)

When ordering, select correct hinging as seen from outside

* Preparation time not included. Based on typical installation. Actual times may vary.



** CUSTOM DOORS: Please allow 6-10 weeks for delivery. Once placed, custom orders cannot be canceled.









Curved Handle



Platinum Secure Glass

Standard Features



- The built-in closer with Click&Hold™ technology is hidden to provide a clean look inside and out, while conveniently holding the door open.
- ullet Pre-assembled for effortless installation; add your QuickFitTM handleset, place on opening and secure pre-attached screws.
- The multi-point locking system secures the door to the frame at three points, providing extra security and protection.
- Hinges are pre-assembled; pick left or right as viewed from outside.
- Fullview glass allows maximum natural light into the home.
- Built with low-maintenance aluminum and heavy-duty weatherstrip.
- Handleset is pre-drilled; choose the QuickFit™ handleset that best complements your home (sold separately).
- Limited Lifetime Warranty and Break-In Protection Warranty.



Additional security with multi-point locking system.



LARSON LIST

Hidden built-in closer with Click&Hold™ technology to hold the door open.

LARSON LIST

lleset

QuickFit™ Handleset


20297817 Brushed Nickel 20297807 Brass 20297857 Aged Bronze 20297820 Antique Brass

STRAIGHT


20298917 Brushed Nickel 20298957 Aged Bronze 20298953 Matte Black

Note: QuickFit™ Handleset fit only Platinum Collection, Eas; Vent® Selection (146) and Elegant Selection (149) models and cannot be modified for use with older models.

Platinum SG	SIZE	
449-04	32" x 81" 36" x 81"	
REGULAR CUSTOM**		
449-04	W: 24" - 36" H: 75" - 85"	
OVERSIZE CUSTOM**		
449-04	W: 36 -1/8"- 42" H: 75" - 85"	
OVERSIZE PLUS CUSTOM***		
449-04	W: 24"- 42" H: 85 -1/8" - 97	







(Right-Hand) Outswing

When ordering, select correct hinging as seen from outside.

* Preparation time not included. Based on typical installation. Actual times may vary.



** CUSTOM DOORS: Please allow 6-10 weeks for delivery. Once placed, custom orders cannot be canceled.





Straight Handle





Add a layer of protection.

Protect your entry beautifully. Our full glass storm doors help frame your opening. Let the light in and enjoy the view.



Straight Handle

Curved Handle

Product Catalog // 14

Fullview with screen Low-E and Clear 149FVE | 149FV

149FV Elegant Selection Fullview

Standard Features

- Overlapping edge with double weatherstrip extends over door seam to seal out weather and conceal hinges and gaps.
- 1-5/8" thick aluminum frame with low-maintenance finish.
- Full screen included for seasonal ventilation (not included with 149PV).
- Designer screw covers conceal exterior mounting screws.
- Two-closer system: bottom closer features hold-open button that holds storm door open with tap of toe; top closer adds dependable opening and closing.
- Bottom expander adjusts to uneven sills.
- Choose the QuickFit™ handleset that best complements your home (sold separately).
- Self-drilling installation screws.
- Universal hinge for right or left mount.
- Limited Lifetime Warranty.
- Built in 8"x12" Pet Door fits pets up to 40 lbs. Includes a slide in panel cover (149PV).





149BV





149EBV



QuickFit™ Handleset

CURVED

20297817 Brushed Nickel 20297807 Brass 20297857 Aged Bronze 20297820 Antique Brass

STRAIGHT

20298917 Brushed Nickel 20298957 Aged Bronze 20298953 Matte Black

Vent® Selection (146) and Elegant Selection (149) models

Note:

See your LARSON seller or visit larsondoors.com for additional information on limited warranties and exclusions.

LARSON LIST

	SIZE
149FVE Low-E	32" x 81" 36" x 81"
	32" x 81" 36" x 81"
149FV Clear	30" x 81"
	34" x 81"
149PV Pet Door	32" x 81"
1431 V1 61 2001	36" x 81"
149BV Arched Double Bevel	32" x 81"
1.0217.101.00 2002.0 2010.	36"×81"
149EBV Elegant Bevel	36" x 81"
REGULAR CUSTOM**	
149FVE Low-E	W: 24" - 36"
149FV Clear	H: 70" – 85"
OVERSIZE CUSTOM**	
149FVE Low-E	W: 36 -1/8"- 42"
149FV Clear	H: 70" - 85"
OVERSIZE PLUS CUSTOM***	
149FVE Low-E	W: 24"- 42"
149FVE Low-E 149FV Clear	W: 24"- 42" H: 85 -1/8" - 97"



FRENCH DOOR KIT available. Refer to chart in French Door section. For Pet Door model, consider 149FV or 149FVE along with 149PV.



** CUSTOM DOORS: Please allow 6-10 weeks for delivery. Once placed, custom orders cannot be canceled.





350 Classic-View Fullview



Standard Features

- Low-maintenance 1-1/4" aluminum frame.
- Heavy-duty weatherstrip.
- Full screen included for seasonal ventilation.
- Matching levers inside and out with built-in deadbolt security lock.
- One color-matched adjustable-speed closer.
- Bottom expander adjusts to uneven sills.
- · Universal hinge for right or left mount.
- Limited Lifetime Warranty.



LARSON LIST


	SIZE
350-17 Clear Brushed Nickel	32"×81"
350-04 Clear Brass	36" x 81"
REGULAR CUSTOM**	
Clear Glass 350-17, 350-04	W: 24" – 36" H: 70" – 85"
OVERSIZE CUSTOM**	
Clear Glass 350-17, 350-04	W: 36 -1/8"- 40" H: 70" - 85"
OVERSIZE PLUS CUSTOM***	
Clear Glass 350-17, 350-04	W: 24"- 40" H: 85 -1/8" - 90"



FRENCH DOOR KIT available. Refer to chart in French Door section. For Pet Door model, consider 149FV or 149FVE along with 149PV.



** CUSTOM DOORS: Please allow 3–5 weeks for delivery. Once placed, custom orders cannot be canceled.



360-48 Full Screen

Standard Features



- Kid- and pet-friendly WearTuff® screen reinforced in frame; upgrade screen options available.
- Low-maintenance 1-1/4" rigid aluminum frame.
- Mounting rail with side weatherstrip to keep out pests.
- Color-matched lever handle and inside lock.
- Color-matched adjustable speed closer.
- Bottom expander fits tight to bottom sill.
- Universal hinge for right or left mount.
- Limited Lifetime Warranty.

Model Shown: 360-48 with WearTuff® screen

Screen Options

WEARTUFF®

Durable mesh screen holds up to wear and tear.

White





NO-SEE-UM

Tight mesh guards against small insects.





Upgrade Screen Options


PETSCREEN®

Tear-resistant screen built

with your pet in mind.


Heavy-duty woven mesh blocks 80% of sun's heat.





LARSON LIST

READY-TO-HANG SCREEN DOOR	SIZE
360-48 Color Matched	32" x 81" 36" x 81"
360-48 REGULAR CUSTOM*	W: 24" - 36" H: 70" - 85"
360-48 OVERSIZE CUSTOM*	W: 36 -1/8" - 42" H: 70" - 85"
360-48 OVERSIZE CUSTOM PLUS*	W: 24" - 42" H: 85 -1/8" - 97"



FRENCH DOOR KIT available. Refer to chart in French Door section. For Pet Door model, consider 149FV or 149FVE along with 149PV.



** CUSTOM DOORS: Please allow 6-10 weeks for delivery. Once placed, custom orders cannot be canceled.





Add a layer of protection.

Let in light and fresh air with Screen Away® storm doors. The built-in screen makes it easy to welcome in the breeze and stays hidden in the top cassette when not in use.



Straight Handle

Curved Handle

Product Catalog // 18

SCREFI® Fullview Low-E and Clear 146FVE | 146FV

146FV Easy Vent® Fullview

Standard Features



- Overlapping frame with double weatherstrip seals out weather and conceals hinges and gaps.
- Screen Away® retractable screen disappears in top cassette for a clear view.
- Easy Vent® balanced window system for easy one-hand operation.
- Designer screw covers conceal exterior mounting screws.
- Two-closer system: bottom closer features hold-open button that holds storm door open with tap of toe; top closer adds dependable opening and closing.
- Bottom expander adjusts to uneven sills.
- Choose the QuickFit[™] handleset that best complements your home (sold separately).
- · Self-drilling installation screws.
- Universal hinge for right or left mount.
- Limited Lifetime Warranty.
- Built-in Pet Door in bottom glass panel fits pets up to 40 lbs. Includes a slide in panel cover (146PV only).



Pet Door



146BV







146MV



LARSON LIST

QuickFit™ Handleset

CURVED

20297817 Brushed Nickel 20297807 Brass 20297857 Aged Bronze 20297820 Antique Brass

STRAIGHT

20298917 Brushed Nickel 20298957 Aged Bronze 20298953 Matte Black

Note: QuickFit™ Handleset fit only Platinum Collection, Easy Vent® Selection (146) and Elegant Selection (149) models and cannot be modified for use with older models.

Note:

See your LARSON seller or visit larsondoors.com for additional information on limited warranties and exclusions.

LARSON LIST

	SIZE	
146FVE Low-E	32" x 81"	
	36" x 81"	
	34" x 81"	
	32" x 81"	
146FV Clear	36" x 81"	
1.0.7 0.00.	30" x 81"	
	34" x 81"	
146PV Pet Door	32" x 81"	
146FV Fet Door	36" x 81"	
146BV Bevel	36" x 81"	
146MV Midview	32" x 81"	
	36" x 81"	
	34" x 81"	
146HV Highview	32" x 81"	
14011V Highwiew	36" x 81"	
REGULAR CUSTOM*		
146FVE Low-E	W: 30" - 40"	
146FV Clear	H: 70" – 86"	
OVERSIZE CUSTOM*		
146FVE Low-E	W: 32"- 40"	
146FV Clear	H: 86 -1/8" - 97"	

Door Color Sample White Almond Sandstone Brown Black Graphite

FRENCH DOOR KIT available. Refer to chart in French Door section. For Pet Door model, consider 149FV or 149FVE along with 149PV.



*CUSTOM DOORS: Please allow 6-10 weeks for delivery. Once placed, custom orders cannot be canceled.



LARSON



356 Lifestyle Fullview

Standard Features

- 1-3/8" thick aluminum frame.
- Heavy-duty weatherstrip.
- Designer screw covers conceal exterior mounting screws.
- Screen Away® retractable screen disappears in top cassette for a clear view.
- Decorative exterior lever with keyed lock; color-matched interior handle.
- One color-matched adjustable-speed closer.
- Bottom expander adjusts to uneven sills.
- Universal hinge for right or left mount.
- Limited Lifetime Warranty.



LARSON LIST

	SIZE
356-52 Brushed Nicke 356-60 Brass	32" × 81" 34" × 81" 36" × 81"

FRENCH DOOR KIT not available.



Note:

See your LARSON seller or visit larsondoors. com for additional information on limited warranties and exclusions.





Model Shown: 830-82 Brushed Nickel

830 Lifestyle Midview

Standard Features



- Magnetic weatherstrip adheres to aluminum frame for a tight seal.
- Screen Away® retractable screen disappears in top cassette for a clear view.
- Matching interior and exterior Secure Lock® handles with built-in inside lock.
- Two adjustable-speed closers in matching colors.
- Bottom expander adjusts to uneven sills.
- · Universal hinge for right or left mount.
- 10-Year Limited Warranty.



LARSON LIST

SIZE	
32"×81" 36"×81"	
34" x 81"	
REGULAR CUSTOM*	
W: 30" – 36" H: 67 -1/2" – 85"	
OVERSIZE CUSTOM* SPECIFY HINGE SIDE AS VIEWED FROM OUTSIDE	
W: 36 -1/8" - 42" H: 85 -1/8" - 90"	



FRENCH DOOR KIT available. Refer to chart in French Door section. For Pet Door model, consider 149FV or 149FVE along with 149PV.



* CUSTOM DOORS:

- Please allow 6-10 weeks for delivery. Once placed, custom orders cannot be canceled.
- Glass insert size remains standard; frame size adjusts for custom order.
- \bullet Maximum size: 42" x 90" uses same size glass insert as standard 36" x 81" door.
- \bullet Minimum size: 30" x 67-1/2" uses same size glass insert as 32" x 81" door.
- Moldings are NOT available on models with opening heights under 77-1/2".







691 Lifestyle Highview

Standard Features

- DuraTech® surface over solid wood core for age and weather resistance.
- Magnetic weatherstrip adheres to aluminum frame for a tight seal.
- Screen Away® retractable screen disappears in top cassette for a clear view.
- Matching interior and exterior Secure Lock® handles with keyed lock.
- Two color-matched adjustable-speed closers.
- Bottom expander adjusts to uneven sills.
- Universal hinge for right or left mount.
- 10-Year Limited Warranty.



LARSON LIST

	SIZE
691-52 Brushed Nickel 691-55 Aged Bronze 691-90 Brass	32" x 81" 36" x 81"
REGULAR CUSTOM* SPECIFY HINGE SIDE AS VIEWED FROM OUTSIDE IF OVER 85"	
691-52, 691-55, 691-90	W: 29" - 36" H: 52" - 90"





- Please allow 6-10 weeks for delivery. Once placed, custom orders cannot be canceled.
- Glass insert size remains standard; frame size adjusts for custom order.
- Maximum size: 36" x 90" uses same size glass insert as standard 36" x 81" door.
- Minimum size: 29" x 52" uses same size glass insert as 32" x 81" door.
- Moldings are NOT available on models with opening heights under 77-1/2".


FRENCH DOOR KIT available. Refer to chart in French Door section.





370-81 Life-Core® Midview

Standard Features



- Heavy-duty weatherstrip.
- Screen Away® retractable screen disappears in top cassette for a clear view.
- Color-matched lever handle and inside lock.
- One color-matched adjustable-speed closer.
- Bottom expander adjusts to uneven sills.
- Universal hinge for right or left mount.
- 10-Year Limited Warranty.



LARSON LIST

	SIZE
370-81	32" x 81" 36" x 81"
	30"×81"



FRENCH DOOR KIT available. Refer to chart in French Door








Built-in Pet Door

Because you share your heart and your home with your dog, invite him to enjoy the ease of entering and exiting with one of our storm doors with PetSafe® pet flap.



360-49 Pet Breeze

Standard Features



- Tear-resistant PetScreen® Screen is built to hold up to daily life with your pet.
- Pet door fits pets up to 100 lbs.
- Color-matched lever handle and inside lock.
- Color-matched adjustable-speed closer.
- Bottom expander adjusts to uneven sills.
- Universal hinge for right or left mount.
- Limited Lifetime Warranty.


Model Shown: 360-49

Flap Opening: 10" x 17"



LARSON LIST

	SIZE
360-49	32" x 81" 36" x 81"




FRENCH DOOR KIT not available.



Slide-in panel cover secures pet flap.



Product Catalog // 24 Product Catalog // 25



360-79 Classic-View PetView

DENVER STORM

Standard Features

- 1-1/4" low-maintenance, all-metal frame.
- Fullview design bottom glass allows your pet to see outside.
- Pet door fits pets up to 100 lbs.
- Tear-resistant WearTuff® screen.
- Reversa Screen for top or bottom ventilation.
- Color-matched lever handle and inside lock.
- Color-matched adjustable-speed closer.
- Bottom expander adjusts to uneven sills.
- Universal hinge for right or left mount.
- Limited Lifetime Warranty.



White

Brown



LARSON LIST

	SIZE
360-79	32" x 81" 36" x 81"





FRENCH DOOR KIT not available.

Note:

See your LARSON seller or visit larsondoors.com for additional information on limited warranties and exclusions.

370 Life-Core Pet Door

Standard Features



- 370-79 fits pets up to 100 lbs.
- 370-78 fits pets up to 220 lbs.
- Heavy-duty weatherstrip.
- Single-vent screen for bottom ventilation.
- Color-matched adjustable-speed closer.
- Matching interior and exterior Secure Lock® handles with built-in inside lock.
- Bottom expander adjusts to uneven sills.
- Universal hinge for right or left mount.
- 10-Year Limited Warranty







Model Shown: 370-78 Flap Opening: 14" x 23"

LARSON LIST

Model Shown: 370-79

Flap Opening: 10" x 17"

	SIZE
370-79	32"×81" 36"×81"
370-78	32"×81" 36"×81"
REGULAR CUSTOM*	
370-79	W: 28" - 36" H: 71 -1/2" - 85"
370-78	W: 28" – 36" H: 81" – 85"
OVERSIZE CUSTOM* SPECIFY HINGE SIDE AS VIEWED FROM OUT	SIDE
370-79	W: 36 -1/8" - 42" H: 85 -1/8" - 96"
370-78	W: 36 -1/8" - 42" H: 85 -1/8" - 96"





Slide-in panel cover secures pet flap.

Dog door opening remains the same on all custom doors



* CUSTOM DOORS

- \bullet Please allow 6-10 weeks for delivery. Once placed, custom orders cannot be canceled.
- Glass insert size remains standard; frame size adjusts for custom order.
- Maximum size: 42" x 96" uses same size glass insert as standard 36" x 81" door.
- Minimum size: 28" x 71-1/2" uses same size glass insert as 32" x 81" door.

FRENCH DOOR KIT available. Refer to chart in French Door section. For Pet Door models, consider 278-SS (pg 28), along with Pet Door.





Product Catalog // 26



Convenient protection.

This collection of low-maintenance venting doors are built strong and sturdy, allowing for maximum air movement while sealing out weather.









370-50 Life-Core® Reversa Screen


Standard Features

- DuraTech® surface over solid wood core for age and weather resistance.
- Tear-resistant WearTuff® Reversa screen.
- Strong-hold handle with keyed lock for added security.
- FlexGuard™ closer protects door when over-extended and allows door to open past 90 degrees.
- Bottom expander adjusts to uneven sills.
- Universal hinge for right or left mount.
- 10-Year Limited Warranty.



LARSON LIST


	SIZE
370-50	32" x 81" 34" x 81" 36" x 81"
	30" x 81"



FRENCH DOOR KIT available. Refer to chart in French Door section.



Product Catalog // 28 Product Catalog // 29



360-16 and 660-16 Classic-View



Standard Features

- 1-1/4" low-maintenance, all-metal frame.
- Rigid steel kickpanel stands up to abuse.
- Reversa Screen for top or bottom ventilation.
- Bottom expander adjusts to uneven sills.
- Durable handle and interior lock.
- Color-matched lever handle and inside lock.
- One color-matched closer.
- Universal hinge for right or left mount.
- Limited Lifetime Warranty.








LARSON LIST

MIDVIEW	SIZE	
	32" x 81" 36" x 81"	
360-16 (660-16) Lever	34" x 81"	
	30" x 81"	
HIGHVIEW		
360-18 (660-18) Lever	32" x 81" 36" x 81"	




FRENCH DOOR KIT available. Refer to chart in French Door

Note:

See your LARSON seller or visit larsondoors.com for additional information on limited warranties and exclusions.





271-TT Life-Core Multi-Vent®



Standard Features

- DuraTech® surface over solid wood core for age and weather resistance.
- Multi-Vent glass and full screen for top or bottom ventilation.
- · Color-matched adjustable-speed closer.
- Bottom expander adjusts to uneven sills.
- Matching interior and exterior Secure Lock® handles with built-in inside lock.
- Universal hinge for right or left mount.
- 10-Year Limited Warranty.







LARSON LIST

	SIZE
271-ТТ	32" x 81" 36" x 81"
REGULAR CUSTOM*	W: 29" - 36" H: 67 -1/2" - 85"
OVERSIZE CUSTOM* SPECIFY HINGE SIDE AS VIEWED FROM OUTSIDE	W: 36 -1/8" - 42" H: 85 -1/8" - 90"





*CUSTOM DOORS:

- Please allow 6-10 weeks for delivery. Once placed, custom orders cannot be canceled.
- Glass insert size remains standard; frame size adjusts for custom order.
- Maximum size: 42" x 90" uses same size glass insert as standard 36" x 81".
- Minimum size: 29" x 67-1/2" uses same size glass insert as 32" x 81". • Moldings are NOT available on models with opening heights under 77-1/2".

FRENCH DOOR KIT available. Refer to chart in French Door section. For Pet Door models, consider 278-SS (pg 28), along with Pet Door.







830-46 Life-Style Multi-Vent®

Standard Features


- DuraTech® surface over solid wood core for age and weather resistance.
- Magnetic weatherstrip adheres to aluminum frame for a tight seal.
- Multi-Vent glass and full screen for top and bottom ventilation.
- Color-matched adjustable-speed closer.
- White handle on white door; black handle on brown door.
- Bottom expander adjusts to uneven sills.
- Sleek push button handle.
- Universal hinge for right or left mount.
- 10-Year Limited Warranty





LARSON LIST

	SIZE
830-46	32" × 81" 36" × 81"



FRENCH DOOR KIT available. Refer to chart in French Door section.



278-SS Life-Core® Single-Vent



Standard Features

- DuraTech® surface over solid wood core for age and weather resistance.
- Heavy-duty weatherstrip.
- Single-vent glass and half screen for bottom ventilation.
- Color-matched lever handle and inside lock.
- One color-matched adjustable-speed closer.
- Bottom expander adjusts to uneven sills.
- Secure Lock® matching levers with built-in lock.
- Universal hinge for right or left mount.
- 10-Year Limited Warranty.





LARSON LIST

	SIZE
	32" x 81" 36" x 81"
278-SS	30"×81" 34"×81"
	32"×85" 36"×85"
REGULAR CUSTOM*	W: 28" - 36" H: 52" - 85
OVERSIZE CUSTOM*	W: 36 -1/8" - 42" H: 52" - 85"
OVERSIZE PLUS* SPECIFY HINGE SIDE AS VIEWED FROM OUTSIDE	W: 32" – 42" H: 85 -1/8" – 96"

Door Color Sample			
	White	Almond	
	Sandstone	Brown	



** CUSTOM DOORS:

- Please allow 6-10 weeks for delivery. Once placed, custom orders cannot be canceled.
- Oversize custom: Any dimension larger than 36" wide or 85" high.
 Maximum size: 42" x 85" uses same size glass insert as standard 36" x 81".
- Minimum size: 28" x 52" uses same size glass insert as standard 32" x 81".
- SPECIAL STANDARD 32" x 85", 36" x 85" and custom doors over 85" high use same size glass insert as standard 288-SS model. Glass insert size remains standard; frame size adjusts for custom order.

FRENCH DOOR KIT available. Refer to chart in French Door section.

Product Catalog // 32 Product Catalog // 33



380-05 Mobile Home Door

DENVER ETORM

Standard Features

- DuraTech® surface over solid wood core for age and weather resistance.
- Durable heavy-duty weatherstrip.
- Single-vent glass and half screen for bottom ventilation.
- One color-matched adjustable-speed closer.
- Bottom expander adjusts to uneven sills.
- Sleek push button handle.
- Universal hinge for right or left mount.
- 10-Year Limited Warranty.





LARSON LIST

	SIZE
	30"×75" 32"×75"
380-05 Mobile Home Push Button	30" × 74" 30" × 76" 32" × 74" 32" × 76" 32" × 78" 34" × 78" 36" × 74" 36" × 78"

Door Color Sample	
White	

FRENCH DOOR KIT available. Refer to chart in French Door section.

Note:

See your LARSON seller or visit larsondoors.com for additional information on limited warranties and exclusions.



288-SS and 283-ST Value-Core® Single-Vent



Standard Features

- Aluminum surface over solid wood core.
- Durable heavy-duty weatherstrip.
- Single-vent glass and half screen for bottom ventilation.
- White handle on white door; black handle on brown door.
- One adjustable-speed closer.
- Bottom expander adjusts to uneven sills.
- Sleek push button handle.
- Universal hinge for right or left mount.
- 10-Year Limited Warranty.







LARSON LIST

	SIZE
288-SS	32" x 81" 34" x 81" 36" x 81"
	30" x 81" 32" x 81"
283-ST	36" x 81"



FRENCH DOOR KIT available. Refer to chart in French Door section.



LARSON



298-SS and 293-ST Vinyl-Clad Single-Vent



Standard Features

- Vinyl surface over solid wood core.
- Durable weatherstrip.
- Single-vent glass and half screen for bottom ventilation.
- One adjustable-speed closer.
- Bottom expander adjusts to uneven sills.
- Durable push button handle.
- Universal hinge for right or left mount.
- 5-Year Limited Warranty.



LARSON LIST

	SIZE
298-SS Single-vent Black Push Button	32" x 81" 36" x 81"
	30" x 81" 34" x 81"
293-ST Single-vent Color Matched	32"×81" 36"×81"

Door Color Sample
White

FRENCH DOOR KIT available. Refer to chart in French Door section.

Note:

LARSON reserves the right to alter or discontinue any model, specification, warranty or price without notice. Product finish colors are approximate; actual finish colors may vary. See your LARSON seller or visit larsondoors.com for details on limited warranties and exclusions.

©2023 Larson Manufacturing Company. All rights reserved. LARSON and the Larson logo are trademarks of Larson Manufacturing Company. Registered trademarks are registered in the U.S. and may be registered internationally. Larson Manufacturing Company is an operating company of Fortune Brands Innovations, Inc. All trademarks are property of their respective owners.



Security

OENVER STORM

A complete line of security doors designed to protect your home and family.





Platinum COLLECTION

Guardsman

Security Door Index

Platinum COLLECTION

Platinum Secure Glass	02
Platinum Secure Screen	03
Guardsman COLLECTION	04
Round Top STORM DOORS	07
360-48 and 360-49 Screen Door	09

Product Catalog // 36 Product Catalog // 1



Platinum Secure Glass

Standard Features

- Dominator™ shield in between two glass panels helps keep intruders out; includes Break-In Protection Warranty.
- The built-in closer with Click&Hold™ technology is hidden to provide a clean look inside and out, while conveniently holding the door open.
- Pre-assembled for effortless installation; add your QuickFit™ handleset, place on opening and secure pre-attached screws.
- The multi-point locking system secures the door to the frame at three points, providing extra security and protection.
- Hinges are pre-assembled; pick left or right as viewed from outside.
- Fullview glass allows maximum natural light into the home.
- Built with low-maintenance aluminum and heavy-duty weatherstrip.
- Handleset is pre-drilled; choose the QuickFit™ handleset that best complements your home (sold separately).
- Limited Lifetime Warranty and Break-In Protection Warranty.

Platinum SG

449-04



LARSON LIST

Additional security with multi-point locking system.



Hidden built-in closer with Click&Hold™ technology to hold the door open.

Door Color Sample

Graphite

LARSON LIST

QuickFit™ Handleset

CURVED

20297817 Brushed Nickel 20297807 Brass 20297857 Aged Bronze 20297820 Antique Brass

STRAIGHT

20298917 Brushed Nickel 20298957 Aged Bronze 20298953 Matte Black

Note: QuickFit™ Handleset fit only Platinum Collection, Easy Vent® Selection (146) and Elegant Selection (149) mode and cannot be modified for use with older models

1	Platinum SG	SIZE		
4	449-04	32" x 81" 36" x 81"		
ı	REGULAR CUSTOM**			
4	449-04 W: 24" - 3 H: 75" - 8			
(OVERSIZE CUSTOM**			
1 1 110-01		W: 36 -1/8" - 42" H: 75" - 85"		
	OVERSIZE PLUS CLISTOM**			

OVERSIZE PLUS CUSTOM W: 24" - 42" 449-04

* Preparation time not included. Based on typical installation. Actual times may vary.



** CUSTOM DOORS: Please allow 6-10 weeks for delivery. Once placed, custom orders

Product Catalog // 2

*** Order in increments of three (same finish) for reduced pricing.

Choose Your Handle

QuickFit™ Handleset sold separately and required to operate built-in deadbolt on Platinum Collection doors.



Black



Straight Handle

















QuickFit"








Platinum Secure Screen

Standard Features





- Pre-assembled for effortless installation; add your QuickFit™ handleset, place on opening and secure pre-attached screws.
- The multi-point locking system secures the door to the frame at three points, providing extra security and protection.
- Hinges are pre-assembled; pick left or right as viewed from outside.
- Effectively blocks insects without restricting views or airflow.
- Built with low-maintenance aluminum and heavy-duty weatherstrip.
- Handleset is pre-drilled; choose the QuickFit[™] handleset that best complements your home (sold separately).
- Limited Lifetime Warranty and Break-In Protection Warranty.

Platinum SCR



Additional security with multi-point locking system.



Hidden built-in closer with Click&Hold™ technology to hold the door open.

LARSON LIST

QuickFit™ Handleset

CURVED

20297817 Brushed Nickel 20297807 Brass 20297857 Aged Bronze 20297820 Antique Brass

STRAIGHT

20298917 Brushed Nickel 20298957 Aged Bronze 20298953 Matte Black

Note: QuickFit™ Handleset fit only Platinum Collection, Easy Vent® Selection (146) and Elegant Selection (149) mode and cannot be modified for use with older models.

LARSON LIST

Platinum SCR	SIZE	
450-18 32" x 81" 36" x 81"		
REGULAR CUSTOM***		
450-18	W: 24" - 36" H: 75" - 85"	
OVERSIZE CUSTOM***		
450-18 W: 36 -1/8" - 4 H: 75" - 85'		
OVERSIZE PLUS CUSTOM***		
450-18	W: 24" - 42" H: 85 -1/8" - 97"	

Door Color Sample Graphite

Choose Your Handle

Nickel

Bronze

Black

QuickFit™ Handleset sold separately and required to operate built-in deadbolt on Platinum Collection doors.








Brass









*** CUSTOM DOORS: Please allow 6-10 weeks for delivery. Once placed, custom orders

Straight Handle **Curved Handle**

Guardsman

COLLECTION





Security Storm Doors

The Guardsman Collection offers a complete line of steel security doors built to protect what matters most.


The welded tubular steel frame provides superior strength, and the anti-removal vault pin and heavy-duty hinges add reinforced protection.







Model Shown: Courtyard



Interchangeable insect screen available for seasonal venting. SOLD SEPARATELY



Welded tubular steel frame for superior strength.



Anti-removal vault pin for reinforced protection.



Heavy-duty 7" hinges for a secure mount.









Brown

Graphite Sandstone


Provide your own hardware which enables you to key your prime and security doors alike.

Got too many keys?

Any standard prime door hardware will fit with these noted dimensions: 2-3/8" backset, 2-1/8" hole diameter.














LARSON LIST







COURTYARD **GARDEN VIEW** 92021 92020

SOHO 92036

GENEVA 92024

EL DORADO 92028

Product Catalog // 6

LARSON LIST

SINGLE DOOR STANDARD

	SIZE
Courtyard 92020	
Garden View 92021	
SoHo 92036	32" x 81" 36" x 81"
Geneva 92024	
El Dorado 92028	

REMEMBER TO SPECIFY HINGE SIDE AS VIEWED FROM OUTSIDE

CUSTOM DOORS*

SINGLE DOOR	REGULAR CUSTOM	OVERSIZE CUSTOM	OVERSIZE CUSTOM PLUS	
Courtyard 92020				
Garden View 92021				
SoHo 92036	W: 30" – 36" H: 76" – 84"	W: 36 -1/8" - 42" H: 76" - 84"	W: 30" – 42" H: 84 -1/8" – 96"	
Geneva 92024				
El Dorado 92028				
DOUBLE DOOR				
Courtyard 92020				
Garden View 92021	W: 30" – 36" H: 76" – 84"	W: 36 -1/8" - 42" H: 76" - 84"	W: 30" – 42" H: 84 -1/8" – 96"	
SoHo 92036				

OPTIONS**		
Custom Lock Box Heights Provide measurements when ordering – see page 7	Order Custom Sizes	
Mail Slot – Silver or Black Finish Double Doors: mail slot installed on active door	Order Custom Sizes	
	White, Black - Standard Sizes only (Single Door)	
Insect Screen Half screen fits top or bottom	All Colors - Custom Sizes (Single Door)	
	Double Door - 2 screens	



*** CUSTOM DOORS: Please allow 6-10 weeks for delivery. Once placed, custom orders cannot be canceled.

Round Top

STORM DOORS

The Guardsman Collection features two styles in a round top configuration. These doors feature tempered safety glass and include pneumatic closer and wind chain. Unlike our other products, rounded-top doors require more complex installation, so professional installation is recommended.









White

Black

Graphite

Sandstone



920SC Fullview



Fullview

- Fixed glass panel
- Mortise style lock included
- Width: 30"-42"
- Height: 76"-96"

Double key lock cylinder standard. Thumb turn key optional with Brass and Antique Brass. Specify when ordering.











Antique

Courtyard

glass panels.

· Security bars with 3 fixed

- Reinforced lock box.
- Bottom insect screen sold separately.
- Width: 30"-42"
- Height: 76"-96"




EXTERIOR



Got too many keys?

Provide your own hardware which enables you to key your prime and security doors alike. Any standard prime door hardware will fit with these noted dimensions: 2-3/8" backset, 2-1/8" hole diameter.




INSTALLATION Framing includes three pieces and requires a professional install for on-site adjustments.





^{**} Door Options (excluding half screen) are non retrofittable and must be ordered with the door.





Guidelines

For pricing, complete this form and email to quotes@larsondoors.com or FAX to 800-888-9006.

NOTES:			

1. Hinging:


as viewed from outside

- 2. Rough Opening Height (A/B):
- 3. Rough Opening Width (C/D):
- 4. Rough Opening Spring Line (E):


Product Catalog // 8

A squared 1"x1" brickmuold is required for installation. Any shape other than a true half round will require an opening template.

DEALER	
CONTACT	
ADDRESS	
EMAIL	







Flap Opening: 10" x 17" Fits pets up to 100 lbs.

360-48 and 360-49 Screen Doors



Standard Features

- Kid- and pet-friendly WearTuff® screen reinforced in frame; upgrade screen options available.
- Low-maintenance 1-1/4" rigid aluminum frame.
- Mounting rail with side weatherstrip to keep out pests.
- Color-matched lever handle and inside lock.
- Color-matched adjustable speed closer.
- Bottom expander fits tight to bottom sill.
- Universal hinge for right or left mount.
- Limited Lifetime Warranty.



Slide-in panel cover secures pet flap. (360-49)

LARSON LIST

READY-TO-HANG PREMIUM SCREEN DOOR	SIZE
360-48	32"×81"
Screen Door	36"×81"
360-48	W: 24" - 36"
REGULAR CUSTOM	H: 70" - 85"
360-48	W: 36-1/8" - 42"
OVERSIZE CUSTOM	H: 70" - 85"
360-48	W: 24" – 42"
OVERSIZE CUSTOM PLUS	H: 85 -1/8" – 97"
360-49	32"×81"
Pet Door	36"×81"

Door Color Sample	
WearTuff®	PetScreen® No-See-Um SUNTEX80® Black SUNTEX80® Gray SUNTEX80® Stucco
White	White
Sandstone	Sandstone



** CUSTOM DOORS:

Please allow 6-10 weeks for delivery. Once placed, custom orders cannot be canceled 360-48: French Door Kit available. Refer to chart in French Door section. 360-49: French Door Kit not available.

Screen Options

WEARTUFF®

Durable mesh screen holds up to wear and tear.



Upgrade Screen Options

PETSCREEN®

Tear-resistant screen built with your pet in mind.



NO-SEE-UM Tight mesh guards against

small insects.



SUNTEX®80

Heavy-duty woven mesh blocks 80% of sun's heat.







